


TRAINING & SUPPORT: DAIRY PROCESSOR: CHEESE



APPLICATION SITES



OUR SYSTEM IS AS EASY AS
1-2-3-4!



TRAINING & SUPPORT: DAIRY PROCESSOR: CHEESE



APPLICATION SITES

- 1 Milk Tanker Truck Sampling**

Install a QualiTru Sanitary Recessed Port with Security Lid to pull an official Pasteurized Milk Ordinance (PMO) Appendix N (antibiotic) sample prior to entering the receiving bay. Side port sampling eliminates the need to climb to the top of the tanker truck, assuring a safer physical sampling environment, and improving operation efficiencies.
- 2 Receiving Bay Sampling**

Install a beveled seat QualiTru TruStream Sanitary Port at the outlet valve on a tanker truck. A representative milk sample can be collected via a peristaltic pump and sterile collection unit as the tanker truck is being unloaded in the receiving bay, improving operation efficiencies and reducing receiving operation efficiencies.
- 3 Raw Product Sampling**

Install a QualiTru TruStream Sanitary Recessed Port in the raw receiving silo to collect a representative sample for regulatory or milk quality samples.
- 4 System Diagnostic**

Install a QualiTru TruStream Sanitary Port at any location throughout your fluid path as part of the diagnostic function, system quality check, Clean in Place (CIP) cleanliness check and overall milk quality samples.
- 5 Post-Pasteurization Monitoring**

Install a QualiTru TruStream Sanitary Port on the backside of the pasteurizer to monitor post-pasteurization contamination and to verify pasteurization effectiveness and efficiency. This application can also be part of the diagnostic function, system quality check, CIP cleanliness check and overall milk quality samples.
- 6 Inoculating**

Port or Recessed Port on the exterior of the vat. This allows access to inoculate the milk with specific cultures while keeping the system closed to the environment. This unique approach helps to mitigate the risk of unwanted microorganisms from entering the vat and contaminating the product.
- 7 Whey Analysis**

Install a QualiTru TruStream Sanitary Port off the vat outlet valve and prior to the whey storage tank or silo for regulatory or quality samples. Whey filtration sampling is used primarily for process monitoring/solid analysis.

**Leaders in the
science of aseptic and
representative sampling**